

mA/BCD Converter

Model MFC-300 mA/BCD

1 Definition

The MFC-300 mA/BCD Converter is a device designed to convert a DC current signal into BCD (8421) signals.

2 Operating Principle

An electronic circuit senses a current loop and generates an output consisting of two BCD (8421) digits (using 6 relays), proportional to the measured current.

The current input can be from 0 to 20 mA. The current scale is set during the calibration process. The lowest current set during calibration corresponds to the first position, and the highest, to the last position.

The number of positions can be configured using the MFC-300's keypad.

The MFC-300's circuit provides pairwise isolation between the outputs, the current input and the power supply, preventing transients from being transmitted through the mA/BCD converter. This awards great robustness to this product and to the system which will process the current signal.

3 Calibration

Before commissioning, the device must be calibrated for the current input scale. The procedure to do so follows:

1. Power on the device while pressing \uparrow or \downarrow .
2. The message **Min. Input** will be displayed along with a value proportional to the measured current. Input the minimum current in the scale.

When the value stabilizes, press the **P** key.

3. The message **Max. Input** will be displayed along with a value proportional to the measured current. Input the maximum current in the scale.

When the value stabilizes, press the **P** key.

This calibration guarantees precise measurements and versatile configuration of the current input scale.

4 Configuration

The device features 4 keys to access its functions. The procedure to configure any parameter follows:

1. Press the **P** key to enter the configuration menu.
2. Using the \uparrow and \downarrow keys, choose the desired parameter.
3. Press **P** to confirm the parameter's selection.
4. Choose the desired value with the \uparrow and \downarrow keys.
5. Confirm by pressing **P**.

The configuration sequence can be canceled at any time by pressing **C**.

This device can be reset to factory settings. This procedure also resets its password to AAAA. To do so, power up the device while pressing **C**.

5 Programmable Parameters

5.1 General Configuration

Parameter: Number of Positions

Options: 2 to 99.

Description: selects the number of BCD positions, from 1 to the configured value.

5.2 MODBUS Protocol

Parameter: Baud Rate

Options: 9600, 19200, 38400, 57600, 115200 bps.

Description: baud rate for the RS485 link.

Parameter: Format

Options: 8N1, 8E1, 8O1, 8N2.

Description: symbol transmission format, where:

- 8N1: 8 data bits, no parity, 1 stop bit.
- 8E1: 8 data bits, even parity, 1 stop bit.
- 8O1: 8 data bits, odd parity, 1 stop bit.
- 8N2: 8 data bits, no parity, 2 stop bits.

Parameter: Address

Options: 1 to 247.

Description: MODBUS address for the device.

6 Error Condition

6.1 Position Error

Position errors are characterized by readings which shift considerably from their ideal value (20%). Despite not being large enough to be interpreted as another position altogether, they suggest failure or imminent failure of the position transducer element, either due to calibration, tap changer failure or connection problem.

Possible causes:

- EMI (electro-magnetic interference) due to faulty or lack of cable shielding.
- EMI due to failure to ground the cables' shielding.
- Contact problem.

7 Electrical Characteristics

Power supply	80 – 265 V _{cc} /V _{ca}
Power supply / other terminals isolation	2500 V, 50/60 Hz, 1 min.
Input signals / other terminals isolation	2500 V, 50/60 Hz, 1 min.
Terminals / ground isolation	2500 V, 50/60 Hz, 1 min.
Power consumption	≤ 8 W
Operating temperature	-10 to +70°C (LCD display) -40 to +70°C (VFD display)
Operating humidity	10 to 90% without condensation

8 MODBUS Registers


Holding Register	Description	Values	Multiplier
1 (read-only)	Output Position	1 – 99	1
21	Current Loop – Output Scale	0: 0-1 mA 1: 0-5 mA 2: 0-10 mA 3: 0-20 mA 4: 4-20 mA	1
201	Number of Positions	2 – 99	1

9 Product Photograph




MULTIFUNCTION CONTROLLER MOD MFC-300

Dimensions in mm












































































Aceito Cont. Qualid.	Aceito Produção:	MULTI FUNCTION CONTROLLER MOD. MFC-300 96 x 48	Escala Ref.	
Projeto Conf.	Des. Por. A.A.L.			
Des. Conf.	Emit. Depto Data. 20/07/07		Alt. Num.	Folha 2/2
Licht Eletro Eletrônica		Dwg. MFC-300 20072007 Rev.0		

mA/BCD CONVERTER
MODEL MFC-300 mA/BCD



Example for 4-20 mA scale and 33 positions

Tap Changer Position	Closed Relays								I in (mA)
	Tens				Units				
	ZA	ZB	ZC	ZD	EA	EB	EC	ED	
1									4.000
2									4.500
3									5.000
4									5.500
5									6.000
6									6.500
7									7.000
8									7.500
9									8.000
10									8.500
11									9.000
12									9.500
13									10.000
14									10.500
15									11.000
16									11.500
17									12.000
18									12.500
19									13.000
20									13.500
21									14.000
22									14.500
23									15.000
24									15.500
25									16.000
26									16.500
27									17.000
28									17.500
29									18.000
30									18.500
31									19.000
32									19.500
33									20.000

 HIGH OUTPUT LEVEL
 LOW OUTPUT LEVEL